American Security



Gun Safe Catalog 2016



Craftsmanship with a "No Cost" Lifetime Warranty **Against Theft & Fire**

We Stand Behind Our

American Security Products manufactures safes with the best fire and burglary protection in the industry. We're so confident in our products that we offer a lifetime warranty on all our gun safes. Our warranty covers:

- Burglaries If your safe is forcibly entered, we will repair or replace it free of charge.
- Attempted Burglaries If your safe undergoes a drill, punch or pry attack and is not breached, we will repair or replace it free of charge.
- Damage from a Home Fire If your safe is damaged in a home fire, we will repair or replace it free of charge.

At no cost to you, we will either repair your damaged gun safe or replace it with a current production model of comparable value.1



Standardized Testing from Independent Laboratories

AMSEC is one of the first manufacturers in the gun safe industry to use standardized test procedures from independent laboratories to substantiate our burglary and fire ratings. Standardized independent testing provides consistent test procedures that can be used across the industry so consumers can meaningfully compare ratings between different safes when making a purchasing decision.



Burglary Ratings

In the United States, the most recognized testing organization for burglary resistance of safes is Underwriters Laboratories (UL). UL publishes standards and administers tests to check if products meet those standards. Standards include specific tools that are used during a break-in attempt and a specific time limit for the test. There are several different burglary classifications that recognize specific levels of attack resistance. The most common listing in the gun safe industry is Residential Security Container (RSC).



Fire Ratings

The ETL logo on our fire-rating labels indicates that our ratings have been verified by independent testing at Intertek Laboratories. Intertek is a multinational independent inspection, product testing and certification organization with over 38,000 employees in over 100 countries. To test our products, Intertek places our safes in a furnace with 8 gas burners. The test furnaces reach 1200°F in 8 minutes. That temperature is maintained for the duration of the test. Five separate thermocouples monitor the temperature inside the safe. To pass Intertek's test, the internal temperature inside a safe must remain below 350°F. Paper burns at approximately 450°F.

Series	Fire Label	Outside Temp	Time Period	Inside Temp Less Than
RF Series	120	1850°F	120 min.	350°F
BF® Series	ETL 120	1200°F	120 min.	350°F
NF Series	ETL 90	1200°F	90 min.	350°F
FV Series	ETL 45	1200°F	45 min.	350°F
TF Series	30	1200°F	°F 30 min.	

¹To file a claim, you must be the original owner of the AMSEC Gun Safe. Within 30 days of the burglary/fire incident, you must properly file a police report documenting the incident. A copy of the police report must be submitted to AMSEC with your warranty claim.

Contents	
RF Series	
High Security	3
BF® Series	
BF® Series Burglary/Fire	4
NF Series	
90-Minute Fire	6
FV Series	
45-Minute Fire	8
TF Series	
30-Minute Fire	10
Vault Doors	. 11
Defense Vault	.12
AM Series	.12
Compact Safes	. 13

Handgun Safes.....14

Cabinets and PDO16

Safe Cloak16

At A Glance18

Electronic Locks & Other Options.....17

Features

Storage Options

RF Series - High Security Gun Safes

AMSEC offers the only gun safes that have a TL-30 UL Burglary Rating. To earn a TL-30 UL Burglary Rating, these safes are subjected to a brutal 30-minute attack by trained technicians using tools such as sledge hammers, picks, chisels, circular saws, carbide drills, wedges, and pry bars. These safes are the industry standard for protecting assets against the threat of serious attack.

The high level of security of these safe comes from AMSEC's unique composite construction. High-strength concrete with proprietary aggregate combined with a matrix of formed steel barriers stop types of attacks outlined in the Underwriters Laboratories standard. With a door thickness of 6 inches and a body thickness of 3 inches, these massive safes weigh between 3,400 and 4,500 pounds. No one is walking out of your house with one of these.

This is the same safe construction that AMSEC sells to banks and jewelers across the county. Today there are hundreds of millions of dollars' worth of assets protected by AMSEC TL-30 safes.



RF703620X6







RF6528





RF6528 Interior

Model	Outside Dim H x W x D	Interior Capacity	Weight Lbs.
RF703620X6	76" x 42" x 291⁄4"	12-12-12-24-36 Gun 58 + 2 Gun	4,578
RF582820X6	64" x 34" x 29¼"	12-12-24 Gun	3,418
RF6528	72" x 35" x 29½"	12-12-24 Gun	3,455







SECURITY

- 6" Thick High Security Composite Door
- 3" Thick High Security Body (3½" on X6)
- UL Listed TL-30 or TL-30X6 High Security Burglary Classification
- 10 Massive 11/2" Chrome Plated Bolts

FIRE PROTECTION

- Seamless High Security Composite Fill
- 120-Minute Certified Fire Rating
- Dual Door Seals to Protect Against Fire and Smoke

FUNCTIONALITY

- Industry's Most Flexible Interior
- Door Organizer
- Storage for Two Long Guns or Assault Rifles on Door

High-Gloss Color Options

















Matte







Textured Color Options









Hardware Color Options



3 Gun Safe Catalog 2016 .



Shown above in Matte Black with Black Nickel Hardware and Optional ESL10XL Electronic Lock

BF® Series - Burglary / Fire

The Most Unique Gun Safe In the Industry

The American Security Products BF Gun Safe is the best gun safe available today. For burglary protection, it has a massive ½"-thick steel plate in the door. For fire protection, it is filled with our revolutionary DryLight.

For many years, smaller fire safes have been constructed with a poured fill material. But larger gun safes pose several manufacturing challenges when it comes time to fill them with insulating materials. Because of this, the industry adopted the use of drywall as the primary material for fire protection. The problem with using drywall is that no matter how much care is taken in assembling the many pieces of drywall into the safe body, gaps and joints still remain in the construction that can allow heat to penetrate the safe body. AMSEC was able to overcome this technical challenge by developing manufacturing processes that allow us to produce a safe body filled with seamless DryLight. Independent testing at Intertek Laboratories has confirmed that these safes outperform gun safe bodies constructed with drywall.

All BF® Series Safes Feature **DryLight Insulation**



American Security Product's DryLight is an advanced poured concrete insulation material that eliminates the use of gypsum board and provides a dry and seamless barrier to protect valuables against intense fires and burglary attacks.









SECURITY

- 1/2"-Thick Steel Plate Door (BF7250 & BF6024 have 3/8" steel plate)
- Four-Way Bolt Work
- 2"-Thick Body
- UL Residential Security Container Burglary Classification
- 11 massive 11/2" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- Seamless DryLight Fill
- 120-Minute Intertek Verified Fire Rating
- Dual Door Seals to Protect Against Fire and Smoke

FUNCTIONALITY

- Industry's Most Flexible Interior
- Door Organizer
- Storage for Two Long Guns or Assault Rifles on Door
- Mirrored Back for Added Interior Visibility
- AC Power Outlet

High-Gloss Color Options























Matte

Textured Color Options









Two-Tone Color Options





Hardware Color Options







N/A on BF6024

BF® Series - Burglary / Fire



BF6024Shown in Textured Black



BF7240Shown in Burgundy Metallic with optional Cabinets and Light Kit



BF® Series Interior Configurations:



BF7250 Standard Gun Interior



BF7250 Optional 73 Gun Interior



BF7240 Standard Gun Interior



BF7240 Optional 58 Gun Interior



BF6636 Standard Gun Interior



BF6030 Standard Gun Interior



BF6032 Standard Gun Interior



BF6024 Standard Gun Interior




Actual AMSEC BF® Gun Safe After a Fire

The satisfied owner of this AMSEC gun safe was relieved to find that their family photo albums, personal papers, and other valuables were saved, thanks to their AMSEC BF® Gun Safe.

Model	Outside Dim H x W x D	Interior Capacity	Weight Lbs.
BF7250	71¼" x 50" x 28"	14-14-14-28-42 + 2 Gun	1,789
BF7250HD	71¼" x 50" x 28"	73 + 2 Gun	2,204
BF7240	71¼" x 40" x 26"	12-12-12-24-36 + 2 Gun	1,585
BF7240HD	71¼" x 40" x 26"	58 + 2 Gun	1,923
BF6636	65¼" x 36" x 26"	12-12-24 + 2 Gun	1,319
BF6636HD	65¼" x 36" x 26"	12-12-24 + 2 Guii	1,601
BF6030	59¼" x 30" x 26"	11-11-22 + 2 Gun	1,036
BF6030HD	59¼" x 30" x 26"	11-11-22 + 2 Guii	1,244
BF6032	59¼" x 30" x 21"	9-9-18 + 2 Gun	913
BF6032HD	59¼" x 30" x 21"	3-3-16 + 2 Guil	1,118
BF6024	59¼" x 24" x 21"	8-8-16 Gun + 1 Gun	720
BF6024HD	59¼" x 24" x 21"	0-0-10 Guil + 1 Guil	893



Shown above in Onyx with Chrome Hardware



door. For fire protection, it is lined with 3 layers of drywall that are strategically engineered for optimal fire protection. This enables the NF Gun Safe to pass a verified 90-minute fire test at Intertek, an independent testing laboratory.

NF Series - 90-Minute Fire

SECURITY

- 1/4"-Thick Steel Plate Door
- Four-Way Bolt Work
- 11-Gauge Steel Body
- UL Residential Security Container Burglary Classification
- 14 Massive 11/2" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- Lined with Three Layers of Drywall
- 90-Minute Intertek-Verified Fire Rating
- Dual Door Seals to Protect Against Fire and Smoke

FUNCTIONALITY

- Industry's Most Flexible Interior
- Door Organizer
- Storage for Two Long Guns or Assault Rifles on Door
- AC Power Outlet



























Two-Tone Color Options









NF6036

Shown in Platinum

NF Series - 90-Minute Fire



Shown in Macadamia Metallic with Optional Stor-it Cabinets and Light Kit



NF6032

Shown in Sandstone with Brass Hardware



Premium Door Organizer for NF6030 and NF6032



NF5924

Shown in Granite with Chrome Hardware





NF6036 Standard NF6030 Standard NF6032 Standard NF5924 Standard **Gun Interior**



Gun Interior



Gun Interior



Gun Interior

Model	Outside Dim H x W x D	Interior Capacity	Weight Lbs.
NF6036	59" x 36" x 26"	17-17-34 + 2 Gun	977
NF6030	59" x 30" x 26"	14-14-28 + 2 Gun	854
NF6032	59" x 30" x 21"	9-9-18 + 2 Gun	761
NF5924	59" x 24" x 18"	8-8-16 Gun + 1 Gun	600

Gun Safe Catalog 2016 .





FV Series - 45-Minute Fire

An Unbeatable Value

The American Security Products FV gun safe offers both performance and value. For burglary protection, it has a stout 3/16"- thick steel plate in the door. For fire protection, it is lined with 2 layers of drywall that are strategically engineered for optimal fire protection. This enables the FV Gun Safe to pass a verified 45-minute fire test at Intertek, an independent testing laboratory.

SECURITY

- 3/16"-Thick Steel Plate Door
- Four-Way Bolt Work
- 12-Gauge steel body (FV7240 is 11-Gauge)
- **UL Residential Security Container Burglary** Classification
- 14 1¼" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes



FIRE PROTECTION

- Lined with two layers of drywall
- 45-Minute Intertek Verified Fire Rating
- Dual Door Seals to Protect Against Fire and Smoke



FUNCTIONALITY

- ESL5 Electronic Lock with Illuminated Keypad
- Industry's Most Flexible Interior
- **Door Organizer**
- Storage for Two Long Guns or Assault Rifles on Door

Color & Hardware





NOTE: FV Series Safes are only available in Textured Black with Chrome Hardware

FV Series – 45-Minute Fire













Gun Interior



Gun Interior



FV7240E5 Standard FV6036E5 Standard FV6030E5 Standard FV6032E5 Standard Gun Interior

Model	Outside Dim H x W x D	Interior Capacity	Weight Lbs.
FV7240E5	72" x 40" x 26"	15-15-15-30-45 + 2 Gun	954
FV6036E5	59" x 36" x 26"	17-17-34 + 2 Gun	724
FV6030E5	59" x 30" x 26"	15-15-30 + 2 Gun	608
FV6032E5	59" x 30" x 21"	11-11-22 + 2 Gun	578

Gun Safe Catalog 2016 _

TF Series 30-Minute Fire

The American Security Products TF Gun Safe offers economic trusted protection. For burglary protection, it has a stout ³/₁₆"-thick steel plate in the door. For fire protection, it is lined with drywall that is strategically engineered for 30 minutes of fire protection.







TF5924E5

SECURITY

- ³/16"-Thick Steel Plate Door
- Four-Way Bolt Work
- 14-Gauge Steel Body
- 14 11/4" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- Lined with Two Layers of Drywall on the Ceiling and Door
- Lined with One Layer of Drywall in All the Walls
- 30-Minute Factory Label
- Dual Door Seals to Protect Against Fire and Smoke

FUNCTIONALITY

- ESL5 Electronic Lock with Illuminated Keypad
- Industry's Most Flexible Interior
- Door Organizer
- Storage for One Long Gun or One Assault Rifle on the Door



TF5924E5 Standard









TF5517E5

SECURITY

- 3/16"-Thick Steel Plate Door
- Four-Way Bolt Work
- 14-Gauge Steel Body
- 8 1" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- Lined with Two Layers of Drywall on the Ceiling and Door
- Lined with One Layer of Drywall in All the Walls
- 30-Minute Factory Label
- Dual Door Seals to Protect Against Fire and Smoke

FUNCTIONALITY

- ESL5 Electronic Lock with Illuminated Keypad
- Industry's Most Flexible Interior
- Door Organizer



TF5517E5 Standard Gun Interior

Model	Outside Dim H x W x D	Interior Capacity	Weight Lbs.
TF5924E5	59" x 24" x 18"	8-8-16 Gun + 1 Gun	388
TF5517E5	55¼" x 17¾" x 16"	11 Gun	286

Color & Hardware





NOTE: TF Series Safes are only available in Textured Black with Chrome Hardware



Turn Your Entire Room Into a Security Center

AMSEC Vault Doors offer the same protection as our innovative BF and NF Gun Safes. They are designed to fit standard 80" x 30" and 80" x 36" door openings. With our inward-swinging vault door option, your vault room can also serve as a storm shelter. The vault door's inward swing ensures that you will be able to open the door even if debris has fallen on the other side. All AMSEC vault doors can be opened from the inside, ensuring personal safety.

Standard Features

- 2" Thick Door
- 10 11/2" Chrome Plated Bolts
- Adjustable Frame to Fit Walls Ranging From 4¾" to 9¾" Thick
- Safety Lock Release

BF Series Vault Door Features

- 1/2" Steel Plate on Face of Door
- 1" of Seamless Drylight as Fire Protection

NF Series Vault Door Features

- 2" Thick Door
- 3/8" Thick Steel Plate Door
- Three Layers of Drywall



VD8030NF Chocolate Brown with Black Nickel Hardware

Vault Doors

Hardware Options



VD8030BF / VD8036BF





Poured DryLight Fill

VD8030NF / VD8036NF





Fire Protection

Color Options







Black



Brown





Brass Chrome

Black Nickel

Model	Description	Wall Opening	Door Opening	Weight (lbs.) Door Only	Shipping Wt. Lbs.
VD8030NF	Vault Door	79½" x 29½"	77½" x 24¾"	523	667
VD8030NFIS	In-Swing Vault Door	79½" x 29½"	77" x 19¼"	505	649
VD8036NF	Vault Door	79½" x 35½	77½" x 31¾"	612	782
VD8036NFIS	In-Swing Vault Door	79½" x 35½	77" x 26¼"	575	745
VD8030BF	Vault Door	79½" x 29½"	77½" x 24¾"	695	839
VD8030BFIS	In-Swing Vault Door	79½" x 29½"	77" x 19¼"	672	816
VD8036BF	Vault Door	79½" x 35½"	77½" x 31¾"	819	989
VD8036BFIS	In-Swing Vault Door	79½" x 35½"	77" x 261⁄4"	792	962

Gun Safe Catalog 2016 11

Defense Vault

Puts Home Security Where You Need It

AMSEC's DV652 was produced from our culture of listening to customers. Customers wanted a secure place to store their home defense weapons. They wanted something that could be kept in their bedrooms, close to their bed. After days of brainstorming, the DV652 was born. Sleek enough to fit under most beds, the DV652 can be secured to either the floor or the bed and is equipped with our backlit ESL5 lock, which offers a stealth-mode option and was specifically designed for this product.

Features

- Slide-Out Drawer
- Backlit Keypad
- 14-Gauge Steel Construction
- 5-Point Locking Bar
- 4 Mounting Holes on Both the Top and Bottom



Model	Outside Dimension	Tray Size	Wt. Lbs.	Locking Device	Warranty
DV652	6" x 52" x 14"	3 ³ /8" x 43½" x 13"	90	5-Point Slide Locking Bar with ESL5 Electronic Lock	1 Year Parts & Labor





AM Series Home Safes

AM Series Features:

- Backlit ESL5 Lock
- 12-Gauge Steel Body
- Drywall Lined
- 30-Minute Fire Rating
- Three-Way Bolt Work
- 4 Pre-Cut Anchor Holes
- 1 Year Parts and Labor Warranty

Model	Exterior	Door	Body	Bolts	Shelves	Wt. Lbs.
AM2020E5	20 x 20 x 20	11/8"	12 ga.	6	1	180
AM3020E5	30 x 20 x 20	11/8"	12 ga.	8	2	230
AM4020E5	40 x 20 x 20	11/8"	12 ga.	8	3	282



Fire Safes

The Only UL-Rated 1-Hour Imported Residential Fire Safes with High Security, Bounce-Resistant Locks

Amsec 1-Hour Fire Safes are the only UL listed 1-hour fire safe offering a UL listed electronic lock. These locks offer far greater security than the locks offered on any other 1-hour fire safe.











FS149

Features:

- UL 350°F Fire Rating
- UL Listed Type 1 Electronic Lock
- Backlit Keypad
- 1 Year Parts and Labor Warranty

Model	Interior Dimensions	Exterior Dimensions	Clear Door	Cu. In.	Wt. Lbs.
FS712E5LP	7 x 11¼ x 8-3/8	11¾ x 16½ x 13¾	7 x 11¼	660	70
FS914E5LP	8-7/16 x 14 x 10½	13½ x 19-1/8 x 15¾	8-7/16 x 14	1,107	96
FS149E5LP	14-1/8 x 81/4 x 103/4	19-1/8 x 13½ x 15-11/16	14-1/8 x 81⁄4	1,258	96
FS1814E5	18¼ x 13-1/8 x 12-3/8	23-5/8 x 18-7/8 x 18-7/8	18¼ x 13-1/8	2,920	187
FS914	8-3/8 x 14 x 10 ³ / ₄	13½ x 19-1/8 x 15¾	8-3/8 x 141⁄4	1,189	96
FS149	14-1/8 x 81/4 x 103/4	19-1/8 x 13½ x 15-11/16	14-1/8 x 81/4	1,258	96
FS2215	17¾ x 13-7/8 x 13-3/8	30-3/8 x 19¾ x 19-3/8	17¾ x 13-7/8	2,786	225



- 14-Gauge Steel Body
- DL5000 Electronic Lock
- Backlit Touchscreen
- LCD Display
- Pry-Resistant Recessed Door
- Internal Hinges
- 1 Year Parts and Labor Warranty

Model	Interior Dimensions	Exterior Dimensions	Clear Door	Cu. In.	Wt. Lbs.
EST813	7-11/16 x 12-13/16 x 5½	7-7/8 x 13 x 7¾	5-5/8 x 9	498	16
EST916	8-13/16 x 16-11/16 x 12	9 x 16-7/8 x 14-1/8	6¾ x 13	1,765	30
EST1014	9-9/16 x 13-15/16 x 7¾	9¾ x 14-1/8 x 9¾	7-5/8 x 101/4	1,032	22
EST2014	19-9/16 x 13-9/16 x 10	19¾ x 13¾ x 12¼	17-1/8 x 91/4	2.602	40

Handgun Safes







	PS1210HD	PS1210EZ	PB3	
Features	BEST	BETTER	Good	
Туре	Portable	Portable	Portable	
Exterior Dimension	10¼" x 12½" x 4¼"	101⁄4" x 121⁄2" x 41⁄4"	12" x 8" x 4"	
Weight	24 Lbs.	13 Lbs.	10 Lbs.	
Body	10 ga. Solid Steel	14 ga. Solid Steel	16 ga. Solid Steel	
Door	3/16" Solid Steel	14 ga. Solid Steel	16 ga. Solid Steel	
Lock	Simplex Mechanical Push Button	Simplex Mechanical Push Button	E-Lock, 4 AA Batteries	
Locking Bolt	1½" x ½" Solid Steel Block	1½" x ½" Solid Steel Block	.32" Round Solid Steel	
Lock Protection	Solid Steel Lock Housing	Solid Steel Lock Housing	N/A	
Interior	High Density Pluck Foam	High Density Pluck Foam	High Density Foam	
Finish	Granite Textured	Granite Textured	Deep Blue Textured	
Carry Handle	Chrome-Plated Collapsible	Chrome-Plated Collapsible	Chrome-Plated Collapsible	
Anchor Holes	4	4	4	
Origin	Made in the USA	China	China	







Handgun Safes



HAS410

Hide-a-Safe

Safe Features

- Door constructed of ³/₁₆" solid steel plate with a strong pry-resistant locking bolt
- Body constructed of 10-gauge solid steel plate with mounting holes for top or bottom installation
- Reliable fast access Simplex push button mechanical lock

- Locking mechanism protected by steel housing, impervious to punch attacks
- Heavy duty 75-lb rated slides (55-lb rated when fully extended)
- Textured Granite Finish with Chrome Hardware
- Fabric-lined drawer with protective high density pluck foam-lined interior
- Packaged for UPS/FedEx shipments

Exterior Dimension	Weight
 4 x 10 x 12	20 lbs.



Exterior Dimension

Weight

4½ x 12 x 14

15 lbs.

IRC412

Drawer Safe

Safe Features

- Heavy-duty steel construction offers excellent burglary protection
- Motorized locking system
- LED display
- 4- to 6-digit combination, standard hotel room configuration
- Fits in a drawer and only requires 5" clearance
- Spacious interior can fit tablets and compact laptop computers

ESF1214 Fingerprint Safe

Safe Features

- 1/8" thick solid steel body
- State-of-the-art fingerprint electronic lock with 100-fingerprint storage capacity
- Motorized bolt work
- · Spring-assisted door auto opens when unlocked
- 7/16" steel door
- 1 adjustable shelf
- Warranty: 1 year parts and labor



Model	Exterior (HxWxD)	Cu. In. Capacity	Weight	
ESF1214	11¼ x 14½ x 12 ¹⁵ / ₁₆	1,692	54 lbs.	



Storit-Cabinets

These elegant, well-appointed 2-drawer and 4-drawer interior chests are the most sophisticated way to store and display your jewelry collection and letter files. These stunning chests are finely crafted with solid-wood maple drawer fronts and maple veneer and finished in a rich honey maple stain. Recessed door pulls give these cabinets a more streamlined appearance and makes for an easier fit into a variety of AMSEC safes. All drawers are elegantly lined in a silky, dark red felt and include a variety of Stor-It Jewelry Organizer Inserts.



Two-Drawer Cabinet

Top drawer includes a Three Compartment Ring Organizer and a Seven Compartment Jewelry Organizer. Bottom drawer can be used for bulky items or as a file drawer.

Four-Drawer Cabinet

Top drawer includes a Three Compartment Ring Organizer and a Seven Compartment Jewelry Organizer. Drawer Two Includes a Three Compartment Necklace Organizer. Drawer Three Includes a Four Compartment Watch Organizer. Drawer Four is left open for easy access of large, bulky items.



Storage Cabinet Specifications

Model	Outside Dimensions (HxWxD)	Weight
2-Drawer	16 3/4 x 16 x 141/8	28
4-Drawer	16 3/4 x 16 x 141/8	29

Storlt-Cabinets are available as an option on the following Gun Safe models:

RF6528, RF703620X6, RF582820X6, BF7250*, BF7240, BF6636, BF6030, NF6036, NF6030

Cabinets do not fit any 6032, 6024 or 5924 models, the FV Series or the TF Series.

* no kit needed for installation on BF7250 - Cabinets slide right in.

The Safe Cloak!



is so good, it will fool not only

Available in the following sizes:

passersby, but quests as well.

6024, 6030, 6636, 7240, 7250.

The AMSEC Premium Door Organizer (PDO) maximizes storage space, offers quick access to commonly used items, and is easily installed on any gun safe.

Premium Door Organizer

All PDO's include:

 Various see-through pouches and zippered pockets to store valuables.

Retrofit Kits

- Two rows of holders for storage of choke tubes, small flashlights and ammo.
- Two full-width pistol storage systems to accommodate multiple handguns. (Comes with four holsters. Additional holsters can be purchased separately.)
- A long gun storage system that accommodates two guns. Includes the AMSEC exclusive "no hassle" quick release band.
- PDO Model 28 offers a zippered pocket large enough to store letter size folders.

Available in three different sizes based on gun safe door size.



PDO Model 19

Electronic Lock Options

For quick and easy entry, an electronic lock is the lock of choice. These locks are powered by batteries located in the dial and allow you to change your combination anytime.



AMSEC ESL10XL

Available in Brass, Chrome and Black Nickel Finish



AMSEC ESL5

Available in Chrome and Black



Lock Duo

Available as an upgrade or retrofit kit on selected AMSEC safes.







S&G Model 6120

Available in Brass or Chrome Finish



S&G Titan

"EZ" Keypad, Brass, Chrome or Black Nickel Finish



LA GARD LG Basic

Brass or Chrome Finish

Other Options



.50 Caliber Handle

Available in Black Nickel BF® & NF Gun Safes only.



Clip-On Battery Operated Light Kit

This compact light fits any safe. Gives off a superbright light, letting you see the contents of your safe easily. Battery operated.



Jewelry Drawer

Velvet lined jewelry drawer that can be installed on top or underneath any shelf larger than 10" wide and 13¹³/₁₆ deep.





Desiccant

Prevents rust and moisture damage.

Recommended for safes without electrical access.





Motion Sensor

LED Light Kit

The HIWL120 has two 39" light strips with 120 high-intensity white LED lights and a motion sensor that automatically turns the lights on when motion is detected. The lights turn off 30 seconds after motion has stopped. This light kit can be installed on any AMSEC safe and is also available as a retrofit kit.



Pistol Rack

This four-gun rack is ideal for organizing pistols inside your safe.



These gun racks are fully adjustable and custom fit the side shelf area of our BF® series gun safes. Each rack is designed with enough clearance to accommodate extra large front sights or optics. All racks feature rich pin-dot fabric.



Premium Upgrade Package for RF, BF® and NF Safes

When you choose to upgrade your American Security RF, BF® or NF Series with a Premium Package, we'll add on some of our most popular options, including the GunSaver Dehumidifier, a Jewelry Drawer, an LED light kit, and a 3-outlet power strip with USB.











GunSaver Dehumidifier

Keeps your guns safe from the threat of rust, pitting and moisture damage. Electrical access required.

Gun Safe Catalog 2016 _

Features at a Glance

Model	Exterior Dimensions	Gun Capacity	Weight	PDO Included	Bolts	Bolt Diameter	Relocker	
RF SERIES								
RF703620X6	76" x 42" x 291⁄4"	12-12-12-24-36 Gun 58 + 2 Gun	4,578	Yes	10	1½"	Yes	
RF582820X6	64" x 34" x 29¼"	12-12-24 Gun	3,418	Yes	10	1½″	Yes	
RF6528	72" x 35" x 29½"	12-12-24 Gun	3,455	Yes	10	1½"	Yes	
BF® SERIES								
BF7250	71¼" x 50" x 28"	14-14-14-28-42 + 2 Gun	1,789	Yes	11	1½″	Yes	
BF7250HD	71¼" x 50" x 28"	73 + 2 Gun	2,204	Yes	11	1½″	Yes	
BF7240	71¼" x 40" x 26"	12-12-12-24-36 + 2 Gun	1,585	Yes	11	1½″	Yes	
BF7240HD	71¼" x 40" x 26"	58 + 2 Gun	1,923	Yes	11	1½″	Yes	
BF6636	65¼" x 36" x 26"	12-12-24 + 2 Gun	1,319	Yes	11	1½″	Yes	
BF6636HD	65¼" x 36" x 26"		1,601	Yes	11	1½″	Yes	
BF6030	59¼" x 30" x 26"	11-11-22 + 2 Gun	1,036	Yes	11	1½″	Yes	
BF6030HD	59¼" x 30" x 26"		1,244	Yes	11	1½″	Yes	
BF6032	59¼" x 30" x 21"	9-9-18 + 2 Gun	913	Yes	11	1½″	Yes	
BF6032HD	59¼" x 30" x 21"		1,118	Yes	11	1½"	Yes	
BF6024	59¼" x 24" x 21"	8-8-16 Gun + 1 Gun	720	Yes	11	1½"	Yes	
BF6024HD	59¼" x 24" x 21"		893	Yes	11	1½"	Yes	
NF Series								
NF6036	59" x 36" x 26"	17-17-34 + 2 Gun	977	Yes	14	1½"	Yes	
NF6030	59" x 30" x 26"	14-14-28 + 2 Gun	854	Yes	14	1½″	Yes	
NF6032	59" x 30" x 21"	9-9-18 + 2 Gun	761	Yes	14	1½"	Yes	
NF5924	59" x 24" x 18"	8-8-16 Gun + 1 Gun	600	Yes	14	1½"	Yes	
FV SERIES								
FV7240E5	72" x 40" x 26"	15-15-15-30-45 + 2 Gun	954	Yes	14	11⁄4″	Yes	
FV6036E5	59" x 36" x 26"	17-17-34 + 2 Gun	724	Yes	14	11⁄4″	Yes	
FV6030E5	59" x 30" x 26"	15-15-30 + 2 Gun	608	Yes	14	11⁄4″	Yes	
FV6032E5	59" x 30" x 21"	11-11-22 + 2 Gun	578	Yes	14	11⁄4″	Yes	
TF SERIES								
TF5924E5	59" x 24" x 18"	8-8-16 Gun + 1 Gun	388	Yes	14	11⁄4″	Yes	
TF5517E5	55¼" x 17¾" x 16"	11 Gun	286	Yes	8	1"	Yes	
DEFENSE VA	ULT							
DV652	6" x 52" x 14"	Tray Size: 3 ³ / ₈ " x 43½ x 13"	90	No		oint Slide Eking Bar	No	
5: ' " '		P^3 on all PE safes and 2" on all σ				-		

Dimensions listed are exterior dimensions. Add $2^3/8"$ on all BF safes and 2" on all other safes to overall depth for lock and handle.

Features at a Glance

I	Warranty	arranty U.L. Thickness		ecc	Fire Rating Standard Lock		Handle	Standard	
		Listing	Door Overall/ Steel Plate	Body			110110110	Interior	
	Lifetime Theft & Fire	TL-30X6	6"	3½"	120 min / 1850°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime Theft & Fire	TL-30X6	6"	31/2"	120 min / 1850°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime Theft & Fire	TL-30	6"	3"	120 min / 1850°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	4 ⁵ / ₁₆ " / ³ / ₈ "	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Theft & Fire	RSC	4 ⁵ / ₁₆ " / ³ / ₈ "	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	43/4" / 1/2"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Theft & Fire	RSC	43/4" / 1/2"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	4¾" / ½"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Theft & Fire	RSC	4¾" / ½"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	4¾" / ½"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Theft & Fire	RSC	4¾" / ½"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	43/4" / 1/2"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Theft & Fire	RSC	43/4" / 1/2"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Tan Pin-Dot	
	Lifetime	RSC	43/4" / 3/8"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	"L" Handle	Tan Pin-Dot	
	Theft & Fire R		4¾" / ³/8"	2"	ETL 120 min / 1200°	Spy-Proof, Key-Locking Dial	"L" Handle	Tan Pin-Dot	
	Lifetime Theft & Fire	RSC	41/4" / 1/4"	11 ga.	ETL 90 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Gray Velour	
	Lifetime Theft & Fire	RSC	41/4" / 1/4"	11 ga.	ETL 90 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Gray Velour	
	Lifetime Theft & Fire	RSC	41/4" / 1/4"	11 ga.	ETL 90 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Gray Velour	
	Lifetime Theft & Fire	RSC	41/4" / 1/4"	11 ga.	ETL 90 min / 1200°	Spy-Proof, Key-Locking Dial	5-Spoke	Gray Velour	
	Lifetime Theft & Fire	B-Rate	3 ⁵ /8" / ³ / ₁₆ "	11 ga.	ETL 45 min / 1200°	ESL5 Electronic Lock	3-Spoke	Gray Fabric	
	Lifetime Theft & Fire	B-Rate	3 ⁵ /8" / ³ / ₁₆ "	12 ga.	ETL 45 min / 1200°	ESL5 Electronic Lock	3-Spoke	Gray Fabric	
	Lifetime Theft & Fire	B-Rate	3 ⁵ /8" / ³ / ₁₆ "	12 ga.	ETL 45 min / 1200°	ESL5 Electronic Lock	3-Spoke	Gray Fabric	
	Lifetime Theft & Fire	B-Rate	3 ⁵ /8" / ³ / ₁₆ "	12 ga.	ETL 45 min / 1200°	ESL5 Electronic Lock	3-Spoke	Gray Fabric	
	Lifetime Theft & Fire	B-Rate	3 ⁵ /8" / ³ / ₁₆ "	14 ga.	30 min / 1200°	ESL5 Electronic Lock	3-Spoke	Mocha Fabric	
	Lifetime Theft & Fire	B-Rate	31⁄4" / ³/16"	14 ga.	30 min / 1200°	ESL5 Electronic Lock	"L" Handle	Mocha Fabric	
	1 Year Parts & Labor	N/A	1" / 14 ga.	14 ga.	N/A	ESL5 Electronic Lock	N/A	Foam Padding	

BF7250 Rosso Corsa Red NF5924 Pearl Essence BF6030 Charcoal Metallic

AMSEC reserves the right to update products as necessary. AMSEC is not responsible for typographical errors.

Part #4305172 16v1 Revised 01/16

The Industry Leader for Over 65 Years

Since 1948 American Security Products has protected the assets of our clients throughout the world by providing a broad array of safes and consulting services with the highest degree of quality, integrity and responsiveness. Customers have trusted AMSEC safes for generations. The design of each AMSEC safe draws on over 65 years of experience on protecting the physical assets of our customers. There aren't many criminals with over 65 years of experience, so we think that gives us the advantage.

Before the American Security name is attached, each safe must undergo a rigid 28-point inspection. In addition, every AMSEC safe undergoes the industry's most comprehensive testing program. AMSEC uses independent agencies such as Underwriters Laboratories to put our designs to the test. We maintain the tightest tolerances and highest standards of fit and finish in the industry.

Our commitment doesn't end there. We have built our company on the commitment to offer the best service in the industry which will insure that AMSEC remains the industry leader.

Our corporate center is staffed with highly trained Customer Service Representatives and our Service Department is supported by 7,500 factory-trained technicians throughout the world. Technicians are available 24 hours a day, 365 days a year to answer questions and help solve problems with any safe shipped anywhere in the world. We have been providing safes and security solutions to the banking industry since 1948. This type of high security technology is built right into our gun safes.

We produce over 60,000 safes each year and we take protecting our customers' assets very seriously. That's how we got to be the largest security safe manufacturer in the world, and that's why you can't buy a better gun safe than an American Security safe.

Simply put, our reputation is built on product design, innovative technology and the best support in the industry.

It has worked for us for over 65 years and it ensures our complete customer satisfaction. The choice is easy:

American Security Products Co. 11925 Pacific Avenue, Fontana, CA 92337

951-685-9680

www.amsecusa.com

